
5

15

20

30

CLAIMS

- 1. Method to produce an IL-11 agonist, which comprises producing a protein having the sequence of an IL-11 mutein that is derivable from a wild-type IL-11 sequence by replacement of at least two non-hydrophobic amino acids within the epitope for IL-11Rα by hydrophobic ones.
 - 2. IL-11 mutein, the sequence of which comprises a sequence which is derivable from the complete sequence of a wild-type IL-11:
- by replacement of the hydrophilic amino acids at positions 182 and 186 (positions computed by reference to the complete wild-type sequence) by X_1 and X_2 respectively, X_1 and X_2 being chosen from the group comprising:
 - Valine (symbol = V or Val),
 - o Alanine (symbol = A or Ala),
 - o Proline (symbol = P or Pro),
 - o Leucine (symbol = L or Leu),
 - o Isoleucine (symbol = I or Ile),
 - o Phenylalanine (symbol = F or Phe),
 - o Methionine (symbol = M or Met), and
 - o Tryptophan (symbol = W or Trp),
 - and by deletion of a N-terminal portion that does not exceed the first 34 N-terminal amino acids.
- 3. IL-11 mutein of claim 2, characterized in that said wild-type IL-11 has the sequence of a human IL-11, or of a macaque IL-11, or of a mouse IL-11, or of a rat IL-11.
 - 4. IL-11 mutein of claim 2 or 3, the sequence of which comprises a sequence chosen from the group comprising SEQ ID NO:9, SEQ ID NO:24, SEQ ID NO:39, SEQ ID NO:54, and the conservative variant sequences thereof, wherein said conservative variant sequences are of at least 80%, preferably at least 90% identity with at least one of SEQ ID NO:9, SEQ ID NO:24, SEQ ID NO:39, or SEQ ID NO:54, provided that X₁

15

30

and X_2 are still as defined in claim 2, and provided that the resulting variant protein has retained the ability to induce proliferation of an IL-11 dependent cell line.

- 5. IL-11 mutein according to any one of claims 2-4, characterized in that X1 and X2 are V or A.
 - 6. IL-11 mutein according to any one of claims 2-5, characterized in that X1=V and X2=A.
- 7. IL-11 mutein of claim 6, characterized in that it comprises a sequence of SEQ ID NO:10, or of SEQ ID NO:25, or of SEQ ID NO:40, or of SEQ ID NO:55.
 - 8. IL-11 mutein according to any one of claims 2-5, characterized in that X1=A and X2=V.
 - 9. IL-11 mutein of claim 8, characterized in that it comprises a sequence of SEQ ID NO:11, of SEQ ID NO:26, of SEQ ID NO:41, or of SEQ ID NO:56.
- 10. IL-11 mutein according to any one of claims 2-5, characterized in that X1=V and 20 X2=V.
 - 11. IL-11 mutein of claim 10, characterized in that it comprises a sequence of SEQ ID NO:12, of SEQ ID NO:42, or of SEQ ID NO:57.
- 25 12. IL-11 mutein according to any one of claims 2-5, characterized in that X1=A and X2=A.
 - 13. IL-11 mutein of claim 12, characterized in that it comprises a sequence of SEQ ID NO:13, of SEQ ID NO:28, of SEQ ID NO:43, or of SEQ ID NO:58.
 - 14. IL-11 mutein according to any one of claims 2-13, characterized in that it comprises a sequence which is derivable from the complete sequence of a wild-type IL-11:

- by replacement of the hydrophilic amino acids in positions 182 and 186 (positions computed by reference to the complete wild-type sequence) by X_1 and X_2 respectively, X_1 and X_2 being as defined in claim 2, and
 - by deletion of the first 21 N-terminal amino acids.

- 15. IL-11 mutein according to claim 14, characterized in that it comprises a sequence of SEQ ID NO:14, SEQ ID NO:29, SEQ ID NO:44 or SEQ ID NO:59, wherein X_1 and X_2 are defined in claim 2.
- 10 16. IL-11 mutein according to claim 15, characterized in that $X_1=V$ and $X_2=A$.
 - 17. IL-11 mutein according to claim 16, characterized in that it comprises a sequence of SEQ ID NO:15, or of SEQ ID NO:30, or of SEQ ID NO:45, or of SEQ ID NO:60.
- 18. IL-11 mutein according to claim 15, characterized in that $X_1=A$ and $X_2=V$.
 - 19. IL-11 mutein according to claim 16, characterized in that it comprises a sequence of SEQ ID NO:16, or of SEQ ID NO:31, or of SEQ ID NO:46, or of SEQ ID NO:61.
- 20 20. IL-11 mutein according to claim 15, characterized in that $X_1=V$ and $X_2=V$.
 - 21. IL-11 mutein according to claim 20, characterized in that it comprises a sequence of SEQ ID NO:17, or of SEQ ID NO:32, or of SEQ ID NO:47, or of SEQ ID NO:62.
- 25 22. IL-11 mutein according to claim 15, characterized in that X_1 =A and X_2 =A.
 - 23. IL-11 mutein according to claim 22, characterized in that it comprises a sequence of SEQ ID NO:18, or of SEQ ID NO:33, or of SEQ ID NO:48, or of SEQ ID NO:63.
- 24. IL-11 mutein according to any one of claims 2-23, characterized in that it comprises a sequence which is derivable from the complete sequence of a wild-type IL-11, by replacement of the hydrophilic amino acids in positions 182 and 186 (positions

WO 2005/014643 PCT/EP2004/009165

computed by reference to the complete wild-type sequence) by X_1 and X_2 respectively, X_1 and X_2 being as defined in claim 2.

- 25. IL-11 mutein according to claim 24, characterized in that it comprises a sequence of SEQ ID NO:19, or of SEQ ID NO:34, or of SEQ ID NO:49, or of SEQ ID NO:64, wherein X₁ and X₂ are as defined in claim 2.
 - 26. IL-11 mutein according to claim 24, characterized in that $X_1=V$ and $X_2=A$.
- 27. IL-11 mutein according to claim 26, characterized in that it comprises a sequence of SEQ ID NO:20, or of SEQ ID NO:35, or of SEQ ID NO:50, or of SEQ ID NO:65.
 - 28. IL-11 mutein according to claim 24, characterized in that $X_1=A$ and $X_2=V$.
- 29. IL-11 mutein according to claim 28, characterized in that it comprises a sequence of SEQ ID NO:21, or of SEQ ID NO:36, or of SEQ ID NO:51, or of SEQ ID NO:66.
 - 30. IL-11 mutein according to claim 24, characterized in that $X_1=V$ and $X_2=V$.
- 31. IL-11 mutein according to claim 30, characterized in that it comprises a sequence of SEQ ID NO:22, or of SEQ ID NO:37, or of SEQ ID NO:52, or of SEQ ID NO:67.
 - 32. IL-11 mutein according to claim 24, characterized in that X_1 =A and X_2 =A.

- 25 33. IL-11 mutein according to claim 32, characterized in that it comprises a sequence of SEQ ID NO:23, or of SEQ ID NO:38, or of SEQ ID NO:53, or of SEQ ID NO:68.
 - 34. Nucleic acid, characterized in that its sequence codes for a mutein according to any one of claims 2-33.
 - 35. Nucleic acid according to claim 34, characterized in that it comprises the sequence of SEQ ID NO:72, wherein each of $n_1n_2n_3$ and $n_4n_5n_6$ codes for:

5

- o Valine (symbol = V or Val), or
- o Alanine (symbol = A or Ala), or
- o Proline (symbol = P or Pro), or
- o Leucine (symbol = L or Leu), or
- o Isoleucine (symbol = I or Ile), or
- o Phenylalanine (symbol = F or Phe), or
- Methionine (symbol = M or Met), or
- o Tryptophan (symbol = W or Trp).
- 36. Nucleic acid according to any one claims 34-35, characterized in that it comprises the sequence of SEQ ID NO:72, wherein n₁n₂n₃ and n₄n₅n₆ are both selected from the group comprising the following codons:
 - GCT, GCC, GCA, GCG,
 - GTT, GTC, GTA, GTG,
- TTA, TTG, CTT, CTC, CTA, CTG,
 - ATT, ATC, ATA,
 - TTT, TTC,
 - ATG,
 - CCT, CCC, CCA, CCG,
- 20 TGG.

- 37. Nucleic acid according to any one of claims 34-36, characterized in that it comprises the sequence of SEQ ID NO:71 or of SEQ ID NO:70, wherein the codons $n_1n_2n_3$ and $n_4n_5n_6$ are as defined in any one of claims 35-36.
- 38. Nucleic acid according to any one of claims 34-36, characterized in that it comprises the sequence of SEQ ID NO:76 or of SEQ ID NO:74, wherein the codons $n_1n_2n_3$ and $n_4n_5n_6$ are as defined in any one of claims 35-36.
- 39. Nucleic acid according to any one claims 34-35, characterized in that it has the RNA sequence of SEQ ID NO:75, wherein the codons n₁n₂n₃ and n₄n₅n₆ are both selected from the group comprising the following codons:

- GCU, GCC, GCA, GCG
- GUU, GUC, GUA, GUG,
- UUA, UUG, CUU, CUC, CUA, CUG,
- AUU, AUC, AUA,
- 5 UUU, UUC,
 - AUG,
 - CCU, CCC, CCA, CCG,
 - UGG.
- 10 40. Transfection vector, characterized in that it comprises a nucleic acid according to any one of claims 34-39.
 - 41. Transfection vector according to claim 40, characterized in that it further comprises a nucleotide sequence coding for a Flag tag.
 - 42. Transfection vector according to any one of claims 40-41, characterized in that it comprises the sequence of SEQ ID NO:79, wherein n₁n₂n₃ and and n₄n₅n₆ are as defined in claim 35.
- 43. Cell, characterized in that it comprises a nucleic acid according to any one of claims 34-39, and/or which has been transfected by a transfection vector according to any one of claims 40-42, and/or which express a mutein according to any one of claims 2-33.
 - 44. Drug characterized in that it comprises:
- a therapeutically effective amount of an IL-11 mutein according to any one of claims 2-33, or of a nucleic acid according to any one claims 34-39, or of a transfection vector according to any one of claims 40-42, or of a cell according to claim 43,
 - and, optionally, a pharmaceutically-acceptable vehicle.
- 45. Drug according to claim 44, characterized in that it is intended for the prevention or treatment of an inflammatory disease or condition.

WO 2005/014643

- 46. Drug according to any one claims 44-45, characterized in that it is intended for the prevention or treatment of a septic shock.
- 47. Drug according to any one claims 44-45, characterized in that it is intended for the prevention or treatment of diabetes.
 - 48. Drug according to any one claims 44-47, characterized in that it is intended for inhibiting microvascular endothelium apoptosis.
- 49. Drug according to claim 44, characterized in that it is an anti-thrombocytopenia drug.